

## References

- Ardhuin, F., and A. D. Jenkins, 2006: On the interaction of surface waves and upper ocean turbulence. *Journal of Physical Oceanography*, **36 (3)**, 551–557, doi:10.1175/JPO2862.1, URL <https://doi.org/10.1175/JPO2862.1>.
- Belcher, S. E., and Coauthors, 2012: A global perspective on Langmuir turbulence in the ocean surface boundary layer. *Geophysical Research Letters*, **39 (18)**, doi:10.1029/2012GL052932.
- Chereskin, T. K., 1995: Direct evidence for an ekman balance in the california current. *Journal of Geophysical Research: Oceans*, **100 (C9)**, 18 261–18 269, doi:10.1029/95JC02182, <https://agupubs.onlinelibrary.wiley.com/doi/pdf/10.1029/95JC02182>.
- Craik, A. D. D., and S. Leibovich, 1976: A rational model for langmuir circulations. *Journal of Fluid Mechanics*, **73 (3)**, 401–426, doi:10.1017/S0022112076001420.
- Cushman-Roisin, B., 1994: *Introduction to Geophysical Fluid Dynamics*. Prentice-Hall, 320 pp.
- Dai, D., F. Qiao, W. Sulisz, L. Han, and A. Babanin, 2010: An experiment on the nonbreaking surface-wave-induced vertical mixing. *Journal of Physical Oceanography*, **40 (9)**, 2180 – 2188, doi:10.1175/2010JPO4378.1.
- D’Asaro, E. A., 2001: Turbulent vertical kinetic energy in the ocean mixed layer. *Journal of Physical Oceanography*, **31 (12)**, 3530 – 3537, doi:10.1175/1520-0485(2002)031<3530:TVKEIT>2.0.CO;2.
- D’Asaro, E. A., 2014: Turbulence in the upper-ocean mixed layer. *Annual Review of Marine Science*, **6**, 101 – 115, doi:10.1146/annurev-marine-010213-135138.

- Egawa, T., Y. Nagata, and S. Sato, 1993: Seasonal variation of the current in the Tsushima Strait deduced from ADCP data of ship-of-opportunity. *Journal of Oceanography*, **49**, 39–50, doi:10.1007/BF02234007.
- Ekman, V. W., 1905: On the influence of the earth's rotation on ocean currents. *Arkiv for Matematik. Astronomi och Fysik*, **2**, 1–53.
- England, M. H., Z. Li, M. F. Huguenin, A. E. Kiss, A. S. Gupta, R. M. Holmes, and S. Rahmstorf, 2025: Drivers of the extreme north atlantic marine heatwave during 2023. *Nature*, **642**, 636–643, doi:10.1038/s41586-025-08903-5.
- Fujiwara, Y., Y. Yoshikawa, and Y. Matsumura, 2020: Wave-resolving simulations of viscous wave attenuation effects on langmuir circulation. *Ocean Modelling*, **154**, 101 679, doi:https://doi.org/10.1016/j.ocemod.2020.101679.
- Gargett, A. E., and C. E. Grosch, 2014: Turbulence process domination under the combined forcings of wind stress, the Langmuir vortex force, and surface cooling. *Journal of Physical Oceanography*, **44**, 44 – 67, doi:10.1175/JPO-D-13-021.1.
- Garwood, R. W., 1977: An oceanic mixed layer model capable of simulating cyclic states. *Journal of Physical Oceanography*, **7**, 455 – 478, doi:10.1175/1520-0485(1977)007<0455:AOMLMC>2.0.CO;2.
- Gasper, P., 1988: Modeling the seasonal cycle of the upper ocean. *Journal of Physical Oceanography*, **18**, 161 – 180, doi:10.1175/1520-0485(1988)018<0161:MTSCOT>2.0.CO;2.
- Grant, A. L. M., and S. E. Belcher, 2009: Characteristics of Langmuir turbulence in the ocean mixed layer. *Journal of Physical Oceanography*, **39**, 1871 – 1887, doi:10.1175/2009JPO4119.1.

- Hobday, A. J., and Coauthors, 2016: A hierarchical approach to defining marine heatwaves. *Progress in Oceanography*, **141**, 227–238, doi:<https://doi.org/10.1016/j.pocean.2015.12.014>.
- Holtslag, A. A. M., and C.-H. Moeng, 1991: Eddy diffusivity and countergradient transport in the convective atmospheric boundary layer. *Journal of Atmospheric Sciences*, **48**, 1690–1698, doi:10.1175/1520-0469(1991)048<1690:EDACTI>2.0.CO;2.
- Ide, Y., and Y. Yoshikawa, 2016: Effects of diurnal cycle of surface heat flux on wind-driven flow. *Journal of Oceanography*, **72** (2), 263–280, doi:10.1007/s10872-015-0328-y.
- Imamura, H., Y. Yoshikawa, and Y. Fujiwara, 2025: Direct numerical simulations of the nonbreaking surface-wave-induced turbulence. *Ocean Dynamics*, **75**, 25, doi:10.1007/s10236-025-01674-7.
- Kraus, E. B., and J. S. Turner, 1967a: A one-dimensional model of the seasonal thermocline ii. the general theory and its consequences. *Tellus*, **19** (1), 98–106, doi:10.1111/j.2153-3490.1967.tb01462.x, <https://onlinelibrary.wiley.com/doi/pdf/10.1111/j.2153-3490.1967.tb01462.x>.
- Kraus, E. B., and J. S. Turner, 1967b: A one-dimensional model of the seasonal thermocline ii. the general theory and its consequences. *Tellus*, **19** (1), 98–106, doi:10.1111/j.2153-3490.1967.tb01462.x, URL <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.2153-3490.1967.tb01462.x>, <https://onlinelibrary.wiley.com/doi/pdf/10.1111/j.2153-3490.1967.tb01462.x>.
- Li, M., C. Garrett, and E. Skillingstad, 2005: A regime diagram for classifying turbulent large eddies in the upper ocean. *Deep - Sea Research Part I*, **52**, 259–278, doi:10.1016/j.dsr.2004.09.004.

- Lohrmann, A., B. Hackett, and L. P. Loed, 1990: High resolution measurements of turbulence, velocity and stress using a pulse-to-pulse coherent sonar. *Journal of Atmospheric and Oceanic Technology*, **7**, 19–37, doi:10.1175/1520-0426(1990)007<0019:HRMOTV>2.0.CO;2.
- Madsen, O. S., 1977: A realistic model of the wind-induced Ekman boundary layer. *Journal of Physical Oceanography*, **7**, 248–255, doi:10.1175/1520-0485(1977)007<0248:ARMOTW>2.0.CO;2.
- McMillan, J. M., A. E. Hay, R. G. Lueck, and F. Wolk, 2016: Rates of dissipation of turbulent kinetic energy in a high Reynolds number tidal channel. *Journal of Atmospheric and Oceanic Technology*, **33**, 817–837, doi:10.1175/JTECH-D-15-0167.1.
- Moeng, C.-H., and P. P. Sullivan, 1994: A comparison of shear- and buoyancy-driven planetary boundary layer flows. *Journal of the Atmospheric Sciences*, **51**, 999–1022, doi:10.1175/1520-0469(1994)051<0999:ACOSAB>2.0.CO;2.
- Niiler, P. P., and E. B. Kraus, 1977: One-dimensional models of the upper ocean. *Modelling and Prediction of the Upper Layers of the Ocean*, E. B. Kraus, Ed., Pergamon, Tarrytown, 143–172.
- Nishihara, G., and S. Sugimoto, 2024: Record-breaking marine heatwave over the central north pacific in 2021 summer: Its formation associated with loss of central mode water. *Journal of Physical Oceanography*, **54** (11), 2361–2372, doi:https://doi.org/10.1175/JPO-D-24-0021.1.
- Onitsuka, G., A. Morimoto, T. Takikawa, A. Watanabe, M. Moku, Y. Yoshikawa, and T. Yanagi, 2009: Enhanced chlorophyll associated with island-induced cyclonic eddies in the eastern channel of the tsushima straits. *Estuarine, Coastal and Shelf Science*, **81** (3), 401–408, doi:10.1016/j.ecss.2008.11.018.

- Pollard, R. T., P. B. Rhines, and R. O. R. Y. Thompson, 1973: The deepening of the wind-mixed layer. *Geophysical Fluid Dynamics*, **4**, 381 – 404, doi:10.1080/03091927208236105.
- Price, J. F., R. A. Weller, and R. Pinkel, 1986: Diurnal cycling: Observations and models of the upper ocean response to diurnal heating, cooling, and wind mixing. *Journal of Geophysical Research: Oceans*, **91 (C7)**, 8411–8427, doi:https://doi.org/10.1029/JC091iC07p08411, https://agupubs.onlinelibrary.wiley.com/doi/pdf/10.1029/JC091iC07p08411.
- Qiao, F., and C. J. Huang, 2012: Comparison between vertical shear mixing and surface wave-induced mixing in the extratropical ocean. *Journal of Geophysical Research: Oceans*, **117 (C11)**, doi:10.1029/2012JC007930, https://agupubs.onlinelibrary.wiley.com/doi/pdf/10.1029/2012JC007930.
- Qiao, F., Y. Yuan, Y. Yang, Q. Zheng, C. Xia, and J. Ma, 2004: Wave-induced mixing in the upper ocean: Distribution and application to a global ocean circulation model. *Geophysical Research Letters*, **31 (11)**, doi:10.1029/2004GL019824, https://agupubs.onlinelibrary.wiley.com/doi/pdf/10.1029/2004GL019824.
- Rossby, C.-G., and R. B. Montgomery, 1935: The layer of frictional influence in wind and ocean currents. *Papers in Physical Oceanography and Meteorology*, Vol. 3, Massachusetts Institute of Technology and Woods Hole Oceanographic Institution, 101, doi:10.1575/1912/1157.
- Sallee, J.-B., C. A. Violaine Pellichero, E. Pauthenet, L. Vignes, S. Schmidtke, A. N. Garabato, P. Sutherland, and M. Kuusela, 2021: Summertime increases in upper-ocean stratification and mixed-layer depth. *Nature*, **591**, 592–598, doi:10.1038/s41586-021-03303-x.
- Savelyev, I. B., E. Maxeiner, and D. Chalikov, 2012: Turbulence production by non-breaking waves: Laboratory and numerical simulations. *Journal of Geophysical Research:*

*Oceans*, **117** (C11), doi:<https://doi.org/10.1029/2012JC007928>, <https://agupubs.onlinelibrary.wiley.com/doi/pdf/10.1029/2012JC007928>.

Stacey, M. W., S. Pond, and P. H. LeBlond, 1986: A wind-forced Ekman spiral as a good statistical fit to low-frequency currents in a coastal strait. *Science*, **233**, 470 – 472, doi:10.1126/science.233.4762.470.

Trenberth, K. E., L. Cheng, Y. Pan, J. Fasullo, and M. Mayer, 2025: Distinctive pattern of global warming in ocean heat content. *Journal of Climate*, **38** (9), 2155–2168, doi:10.1175/JCLI-D-24-0609.1.

Tsai, W.-T., G.-H. Lu, J.-R. Chen, and A. Dai, 2017: On the formation of coherent vortices beneath nonbreaking free-propagating surface waves. *Journal of Physical Oceanography*, **47** (3), 533–543, doi:10.1175/JPO-D-16-0242.1.

Tseng, R.-S., and E. A. D’Asaro, 2004: Measurements of turbulent vertical kinetic energy in the ocean mixed layer from Lagrangian floats. *Journal of Physical Oceanography*, **34**, 1984 – 1990, doi:10.1175/1520-0485(2004)034<1984:MOTVKE>2.0.CO;2.

VanRoekel, L. P., B. Fox-Kemper, P. P. Sullivan, P. E. Hamlington, and S. R. Haney, 2012: The form and orientation of Langmuir cells for misaligned winds and waves. *Journal of Geophysical Research*, **117**, doi:10.1029/2011JC007516.

Yoshikawa, Y., 2019: Wind-driven mixing under the earth rotation. *Encyclopedia of Ocean Sciences (Third Edition)*, J. K. Cochran, H. J. Bokuniewicz, and P. L. Yager, Eds., third edition ed., Academic Press, Oxford, 586–590, doi:10.1016/B978-0-12-409548-9.10954-6.

Yoshikawa, Y., Y. Baba, H. Mizutani, T. Kubo, and C. Shimoda, 2018: Observed features of Langmuir turbulence forced by misaligned wind and waves under destabilizing buoyancy flux. *Journal of Physical Oceanography*, **48** (11), 2737 – 2759, doi:10.1175/JPO-D-18-0038.1.

Yoshikawa, Y., and A. Masuda, 2009: Seasonal variations in the speed factor and deflection angle of the wind-driven surface flow in the Tsushima Strait. *Journal of Geophysical Research - Oceans*, **114**, C12022, doi:10.1029/2009JC005632.

Yoshikawa, Y., A. Masuda, K. Marubayashi, and M. Ishibashi, 2010: Seasonal variations of the surface currents in the Tsushima Strait. *Journal of Oceanography*, **66**, 223–232.

Yoshikawa, Y., T. Matsuno, K. Marubayashi, and K. Fukudome, 2007: A surface velocity spiral observed with ADCP and HF radar in the Tsushima Strait. *Journal of Geophysical Research - Oceans*, **112**, C06022, doi:10.1029/2006JC003625.

Zhang, Y., Y. Du, M. Feng, and A. J. Hobday, 2023: Vertical structures of marine heatwaves. *Nature Communications*, **14** (6483), doi:10.1038/s41467-023-42219-0.

Zikanov, O., D. Slinn, and M. Dhanak, 2003: Large-eddy simulations of the wind-induced turbulent Ekman layer. *Journal of Fluid Mechanics*, **495**, 343–368, doi:10.1017/S0022112003006244.

井手 喜彦, 2016: 吹送流に及ぼす短周期海面熱フラックスの影響に関する研究. 九州大学総合理工学府 博士論文.

今村 春香, 2026: 波解像数値モデルを用いた水面波と流れの相互作用とそれに伴う混合に関する研究. 京都大学大学院理学研究科博士論文 (申請予定) .

光易 恒, 1995: 海洋波の物理. 1st ed., 岩波書店.